

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application:

1-107 (Cancelled).

108. (Currently Amended) A cosmetic composition comprising an organic liquid medium, at least one film-forming ethylenic linear block polymer free from styrene units, and at least one other film former which is soluble or dispersible in ~~[[said]]~~the organic liquid medium,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block of different glass transition temperatures (T<sub>g</sub>),

wherein the at least one first and at least one second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block,

wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, the intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a T<sub>g</sub> of greater than or equal to 40°C,

b) a block with a T<sub>g</sub> of less than or equal to 20°C,

c) a block with a T<sub>g</sub> of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block.

109. (Currently Amended) A cosmetic composition comprising an organic liquid medium, at least one aqueous phase, at least one film-forming ethylenic linear block polymer free from styrene units, and at least one other film former which is soluble or dispersible in ~~[[said]]the~~ aqueous phase,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block of different glass transition temperatures (Tg),

wherein the at least one first and at least one second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block,

wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, the intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a Tg of greater than or equal to 40°C,

b) a block with a Tg of less than or equal to 20°C,

c) a block with a Tg of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block.

110. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer is non-elastomeric.

111. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer is an ethylenic polymer obtained from aliphatic ethylenic monomers comprising a carbon-carbon double bond and at least one ester group -COO- or amide group -CON-.

112. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer is not soluble at an amount of active substance of at least 1% by weight in water or in a mixture of water and linear or branched lower monoalcohols comprising 2 to 5 carbon atoms, without a change in pH, at ambient temperature (25°C).

113. (Cancelled)

114. (Cancelled)

115. (Currently Amended) [[ A]] The cosmetic composition according to claim [[114]]108, wherein the ~~first and second blocks are connected to one another by an~~ intermediate segment has[[ving]] a glass transition temperature between the glass transition temperatures of the at least one first and the at least one second blocks.

116. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the at least ~~one film-forming ethylenic linear block polymer comprises one~~ first and the at least one second blocks ~~which are incompatible in~~ [[said]]the organic liquid medium.

117. (Cancelled)

118. (Cancelled)

119. (Currently Amended) [[ A]] The cosmetic composition according to claim [[118]]108, wherein the block with a Tg greater than or equal to 40°C is ~~obtained totally or~~

~~partly from~~ comprises at least one monomer such that the corresponding homopolymer prepared from the ~~at least one monomer~~ has a glass transition temperature greater than or equal to 40 °C.

120. (Currently Amended) [[ A]] The cosmetic composition according to claim 119, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature greater than or equal to 40 °C is chosen from the following monomers:


- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

wherein  $\text{R}_1$  is chosen from linear and branched unsubstituted alkyl groups comprising from 1 to 4 carbon atoms, and from  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl groups;

- acrylates of formula  $\text{CH}_2 = \text{CH-COOR}_2$

wherein  $\text{R}_2$  is chosen from  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl groups; and

- (meth)acrylamides of formula:



where  $\text{R}_7$  and  $\text{R}_8$ , which are identical or different, are chosen from hydrogen atoms and from linear and branched alkyl groups comprising 1 to 12 carbon atoms; or alternatively  $\text{R}_7$  is a H atom and  $\text{R}_8$  is a 1,1-dimethyl-3-oxobutyl group and  $\text{R}'$  is chosen from H and methyl;

~~~and mixtures thereof.~~

121. (Currently Amended) [[ A]] The cosmetic composition according to claim 119, wherein the at least one monomer whose corresponding homopolymer has a glass

transition temperature greater than or equal to 40°C is chosen from methyl methacrylate, isobutyl (meth)acrylate, and isobornyl (meth)acrylate, ~~and mixtures thereof.~~

122. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]~~108, wherein the block with a Tg less than or equal to 20°C ~~is obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature less than or equal to 20°C.

123. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 122, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature less than or equal to 20°C is chosen from the following monomers:

- acrylates of formula  $\text{CH}_2 = \text{CHCOOR}_3$ ,

wherein  $\text{R}_3$  is chosen from linear and branched  $\text{C}_1$  to  $\text{C}_{12}$  unsubstituted alkyl groups in which at least one heteroatom chosen from O, N and S is optionally intercalated, with the proviso that ~~[[said]]~~the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$ ,

wherein  $\text{R}_4$  is chosen from linear and branched  $\text{C}_6$  to  $\text{C}_{12}$  unsubstituted alkyl groups in which at least one heteroatom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula  $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

wherein  $\text{R}_5$  is chosen from linear and branched  $\text{C}_4$  to  $\text{C}_{12}$  alkyl groups;

-  $\text{C}_4$  to  $\text{C}_{12}$  alkyl vinyl ethers; and

- N-( $\text{C}_4$  to  $\text{C}_{12}$  alkyl) acrylamides; ~~and~~

~~and mixtures thereof.~~

124. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 122, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature less than or equal to 20°C is chosen from alkyl acrylates wherein the alkyl chain comprises from 1 to 10 carbon atoms, with the exception of the tert-butyl group.

125. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]108~~, wherein the block with a Tg ranging from 20 to 40°C ~~is obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer ~~prepared from the monomer~~ has a glass transition temperature ranging from 20 to 40°C.

126. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]108~~, wherein the block with a Tg ranging from 20 to 40°C ~~is obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer has a Tg greater than or equal to 40°C and ~~[[from]]~~ at least one monomer such that the corresponding homopolymer has a Tg of less than or equal to 20°C.

127. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]108~~, wherein the block with a Tg ranging from 20 to 40°C ~~is obtained totally or partly from~~ comprises at least one monomer chosen from methyl methacrylate, isobornyl acrylate and methacrylate, butyl acrylate, and 2-ethylhexyl acrylate, ~~and mixtures thereof.~~

128. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]108~~, wherein ~~the block polymer comprises at least one first block and at least one second block;~~ the at least one first block has~~[[ving]]~~ a glass transition temperature (Tg) greater than or equal to 40°C and the at least one second block has~~[[ving]]~~ a glass

transition temperature of less than or equal to 20 °C.

129. (Currently Amended) [ [ A] ] The cosmetic composition according to claim 128, wherein the at least one first block is ~~obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature greater than or equal to 40 °C.

130. (Currently Amended) [ [ A] ] The cosmetic composition according to claim 129, wherein the at least one first block is a copolymer ~~obtained from~~ comprising at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature greater than or equal to 40 °C.

131. (Currently Amended) [ [ A] ] The cosmetic composition according to claim 129, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature greater than or equal to 40 °C is chosen from the following monomers:


- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

wherein  $\text{R}_1$  is chosen from linear and branched unsubstituted alkyl groups comprising 1 to 4 carbon atoms and from  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl groups; and

- acrylates of formula  $\text{CH}_2 = \text{CH-COOR}_2$

wherein  $\text{R}_2$  is chosen from  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl groups

- (meth)acrylamides of formula:



where  $\text{R}_7$  and  $\text{R}_8$ , which are identical or different, are chosen from hydrogen atoms

and linear and branched alkyl groups comprising 1 to 12 carbon atoms, or alternatively, R<sub>7</sub> is H and R<sub>8</sub> is a 1,1-dimethyl-3-oxobutyl group and R' is chosen from H and methyl; ~~and mixtures thereof.~~

132. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 129, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature greater than or equal to 40 °C is chosen from methyl methacrylate, isobutyl methacrylate, and isobornyl (meth)acrylate, ~~and mixtures thereof.~~

133. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]~~108, wherein the at least one first block is present ~~in the at least one film-forming ethylenic linear polymer~~ in an amount ranging from 20% to 90% by weight, relative to the total weight of the polymer.

134. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 133, wherein the at least one first block is present ~~in the polymer~~ in an amount ranging from 50% to 70% by weight, relative to the total weight of the polymer.

135. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]~~108, wherein the at least one second block ~~is obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer prepared ~~from the at least one monomer~~ has a glass transition temperature less than or equal to 20 °C.

136. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 135, wherein the at least one second block is a homopolymer ~~obtained from~~ comprising at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature less than or equal to 20 °C.



137. (Currently Amended) [( A)] The cosmetic composition according to claim 135, wherein the at least one monomer[[s]] whose corresponding homopolymer has a glass transition temperature less than or equal to 20 °C [[are]]is chosen from the following monomers:

- acrylates of formula  $\text{CH}_2 = \text{CHCOOR}_3$ ,

$\text{R}_3$  is chosen from linear and branched  $\text{C}_1$  to  $\text{C}_{12}$  unsubstituted alkyl groups, in which at least one heteroatom chosen from O, N and S is optionally intercalated, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$ ,

$\text{R}_4$  is chosen from linear and branched  $\text{C}_6$  to  $\text{C}_{12}$  unsubstituted alkyl groups, in which at least one heteroatom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula  $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

wherein  $\text{R}_5$  is chosen from linear and branched  $\text{C}_4$  to  $\text{C}_{12}$  alkyl groups;

-  $\text{C}_4$  to  $\text{C}_{12}$  alkyl vinyl ethers; and

- N-( $\text{C}_4$  to  $\text{C}_{12}$  alkyl) acrylamides;

~~-and mixtures thereof.~~

138. (Currently Amended) [( A)] The cosmetic composition according to claim 135, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature less than or equal to 20 °C is chosen from alkyl acrylates wherein the alkyl chain comprises from 1 to 10 carbon atoms, with the exception of the tert-butyl group.

139. (Currently Amended) [( A)] The cosmetic composition according to claim [[118]]108, wherein the at least one second block with a  $T_g$  less than or equal to 20 °C is

present in the ~~at least one film-forming ethylenic linear polymer~~ in an amount ranging from 5% to 75% by weight relative to the total weight of the polymer.

140. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 139, wherein the at least one second block with a T<sub>g</sub> less than or equal to 20 °C is present in the polymer in an amount ranging from 25% to 45% by weight relative to the total weight of the polymer.

141. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim ~~[[118]]108~~, wherein ~~said at least one film-forming ethylenic linear block polymer~~ comprises ~~at least one first block and at least one second block~~, the at least one first block has ~~[[ving]]~~ a glass transition temperature (T<sub>g</sub>) ranging from 20 to 40 °C and the at least one second block has ~~[[ving]]~~ a glass transition temperature less than or equal to 20 °C or a glass transition temperature greater than or equal to 40 °C.

142. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one first block with a T<sub>g</sub> ranging from 20 to 40 °C ~~is obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature ranging from between 20 ~~[[and]]~~ to 40 °C.

143. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one first block with a T<sub>g</sub> ranging from 20 to 40 °C is a copolymer ~~obtained from~~ comprising at least one monomer such that the corresponding homopolymer has a T<sub>g</sub> greater than or equal to 40 °C and ~~[[from]]~~ at least one monomer such that the corresponding homopolymer has a T<sub>g</sub> less than or equal to 20 °C.

144. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to

claim 141, wherein the at least one first block with a Tg ranging from 20 to 40°C is ~~obtained from~~ comprises at least one monomer~~[[s]]~~ chosen from methyl methacrylate, isobornyl acrylate and methacrylate, butyl acrylate, and 2-ethylhexyl acrylate, ~~and~~ mixtures thereof.

145. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one first block with a Tg ranging from 20 to 40°C is present ~~in the~~ polymer in an amount ranging from 10% to 85% by weight relative to the total weight of the polymer.

146. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 145, wherein the at least one first block with a Tg ranging from 20 to 40°C is present ~~in the~~ polymer in an amount ranging from 50% to 70% by weight relative to the total weight of the polymer.

147. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one second block has a Tg greater than or equal to 40°C and is ~~obtained totally or partly from~~ comprises at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature greater than or equal to 40°C.

148. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one second block has a Tg greater than or equal to 40°C and is a homopolymer ~~obtained from~~ comprising at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature greater than or equal to 40°C.

149. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim

147, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature greater than or equal to 40 °C is chosen from the following monomers:


- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_1$

wherein  $\text{R}_1$  is chosen from linear and branched unsubstituted alkyl groups comprising from 1 to 4 carbon atoms, and from  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl groups;

- acrylates of formula  $\text{CH}_2 = \text{CH-COOR}_2$

wherein  $\text{R}_2$  is chosen from  $\text{C}_4$  to  $\text{C}_{12}$  cycloalkyl groups; and

- (meth)acrylamides of formula:



wherein  $\text{R}_7$  and  $\text{R}_8$ , which are identical or different, each are chosen from hydrogen atoms and linear and branched alkyl groups comprising from 1 to 12 carbon atoms, or alternatively  $\text{R}_7$  is H and  $\text{R}_8$  is a 1,1-dimethyl-3-oxobutyl group and  $\text{R}'$  is chosen from H and methyl;

~~and mixtures thereof.~~

150. (Currently Amended) [[ A]] The cosmetic composition according to claim 147, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature greater than or equal to 40 °C is chosen from methyl methacrylate, isobutyl methacrylate, and isobornyl (meth)acrylate, ~~and mixtures thereof.~~

151. (Currently Amended) [[ A]] The cosmetic composition according to claim 141, wherein the at least one second block with a  $T_g$  greater than or equal to 40 °C is

present in the ~~at least one film-forming ethylenic linear block polymer~~ in an amount ranging from 10% to 85% by weight relative to the total weight of the polymer.

152. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 151, wherein the at least one second block with a T<sub>g</sub> greater than or equal to 40 °C is present in the ~~polymer~~ in an amount ranging from 30% to 70% by weight relative to the total weight of the polymer.

153. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one second block has a T<sub>g</sub> less than or equal to 20 °C and ~~comprises is obtained totally or partly from~~ at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature less than or equal to 20 °C.

154. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 141, wherein the at least one second block has a T<sub>g</sub> less than or equal to 20 °C and is a homopolymer ~~obtained from~~ comprising at least one monomer such that the corresponding homopolymer ~~prepared from the at least one monomer~~ has a glass transition temperature less than or equal to 20 °C.

155. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 153, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature less than or equal to 20 °C is chosen from the following monomers:

- acrylates of formula  $\text{CH}_2 = \text{CHCOOR}_3$ ,

R<sub>3</sub> is chosen from linear and branched C<sub>1</sub> to C<sub>12</sub> unsubstituted alkyl groups, in which at least one heteroatom chosen from O, N and S is optionally intercalated, with the proviso that the alkyl groups are not chosen from a tert-butyl group;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_4$ ,

$\text{R}_4$  is chosen from linear and branched  $\text{C}_6$  to  $\text{C}_{12}$  unsubstituted alkyl groups, in which at least one heteroatom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula  $\text{R}_5\text{-CO-O-CH} = \text{CH}_2$

where  $\text{R}_5$  is chosen from linear and branched  $\text{C}_4$  to  $\text{C}_{12}$  alkyl groups;

-  $\text{C}_4$  to  $\text{C}_{12}$  alkyl vinyl ethers; and

- N-( $\text{C}_4$  to  $\text{C}_{12}$  alkyl) acrylamides ;

~~-and mixtures thereof.~~

156. (Currently Amended) [[ A]] The cosmetic composition according to claim 153, wherein the at least one monomer[[s]] whose corresponding homopolymer[[s]] has[[ve]] glass transition temperature[[s]] less than or equal to  $20^\circ\text{C}$  is chosen from[[ from]] alkyl acrylates wherein the alkyl chain comprises from 1 to 10 carbon atoms, with the exception of the tert-butyl group.

157. (Currently Amended) [[ A]] The cosmetic composition according to claim 153, wherein the at least one second block with a glass transition temperature less than or equal to  $20^\circ\text{C}$  is present ~~in the polymer~~ in an amount ranging from 20% to 90% by weight relative to the total weight of the polymer.

158. (Currently Amended) [[ A]] The cosmetic composition according to claim 157, wherein the at least one second block with a glass transition temperature less than or equal to  $20^\circ\text{C}$  is present ~~in the polymer~~ in an amount ranging from 50% to 70% by weight relative to the total weight of the polymer

159. (Currently Amended) [[ A]] The cosmetic composition according to claim [[113]]108, wherein at least one of the at least one first block and the at least one second

block comprises at least one additional monomer.

160. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 159, wherein the at least one additional monomer is chosen from hydrophilic monomers and ethylenically unsaturated monomers comprising at least one silicon atom and mixtures thereof.

161. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 159, wherein the at least one additional monomer is chosen from:

a) hydrophilic monomers; and

b) ethylenically unsaturated monomers comprising at least one silicon atom;

~~and mixtures thereof.~~

162. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 161,

wherein ~~[[said]]~~the hydrophilic monomers ~~[[a]]~~ are chosen from:

-ethylenically unsaturated monomers comprising at least one carboxylic or sulphonic acid function;

- ethylenically unsaturated monomers comprising at least one tertiary amine function;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_6$

wherein  $\text{R}_6$  is chosen from linear and branched alkyl groups comprising from 1 to 4 carbon atoms, ~~[[said]]~~the alkyl group being substituted by at least one substituent chosen from hydroxyl groups and halogen atoms chosen from Cl, Br, I and F;

- methacrylates of formula  $\text{CH}_2 = \text{C}(\text{CH}_3)\text{-COOR}_9$ ,

wherein R<sub>9</sub> is chosen from linear and branched C<sub>6</sub> to C<sub>12</sub> alkyl groups in which at least one heteroatom chosen from O, N and S is optionally intercalated, ~~[[said]]the~~ alkyl group being substituted by at least one substituent chosen from hydroxyl groups and halogen atoms chosen from Cl, Br, I and F; and

- acrylates of formula CH<sub>2</sub> = CHCOOR<sub>10</sub>,

wherein R<sub>10</sub> is chosen from linear and branched C<sub>1</sub> to C<sub>12</sub> alkyl groups substituted by at least one substituent chosen from hydroxyl groups and halogen atoms chosen from Cl, Br, I and F, or R<sub>10</sub> is a C<sub>1</sub> to C<sub>12</sub> alkyl-O-POE (polyoxyethylene) with repetition of the oxyethylene unit from 5 to 30 times, or R<sub>10</sub> is a polyoxyethylenated group comprising from 5 to 30 ethylene oxide units

and

wherein ~~[[said]]the~~ ethylenically unsaturated monomers ~~[[b)]]~~ comprising at least one silicon atom are chosen from methacryloxypropyltrimethoxysilane and methacryloxypropyltris(trimethylsiloxy)silane.

163. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 159, wherein each of the at least one first and the at least one second blocks comprises at least one additional monomer chosen from acrylic acid, (meth)acrylic acid, and trifluoroethyl methacrylate, ~~and mixtures thereof.~~

164. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 159, wherein each of the at least one first and the at least one second blocks comprises at least one monomer chosen from esters of (meth)acrylic acid and optionally at least one additional monomer ~~and mixtures thereof.~~

165. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim



159, wherein each of the at least one first and the at least one second blocks ~~is obtained totally from~~ consists of at least one monomer chosen from esters of (meth)acrylic acid and optionally at least one additional monomer, ~~and mixtures thereof.~~

166. (Currently Amended) [[ A]] The cosmetic composition according to claim 159, wherein the at least one additional monomer is present in an amount ranging from 1% to 30% by weight of the total weight of the at least one first and/or the at least one second blocks.

167. (Currently Amended) [[ A]] The cosmetic composition according to Claim [[114]]108, wherein the difference between the glass transition temperatures (Tg) of the at least one first and the at least one second blocks is greater than 10°C.

168. (Currently Amended) [[ A]] The cosmetic composition according to claim 167, wherein the difference between the glass transition temperatures (Tg) of the at least one first and the at least one second blocks is greater than 40°C.

169. (Cancelled)

170. (Currently Amended) [[ A]] The cosmetic composition according to claim [[169]]108, wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index ranging from 2.8 to 6.

171. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the at least one film-forming ethylenic linear block polymer has a weight-average mass (Mw) of less than or equal to 300 000.

172. (Currently Amended) [[ A]] The cosmetic composition according to claim 171, wherein the weight-average mass (Mw) ranges from 35 000 to 200 000.

173. (Currently Amended) [[ A]] The cosmetic composition according to claim

171, wherein the weight-average mass (Mw) ranges from 45 000 to 150 000.

174. (Currently Amended) [[ A]] The cosmetic composition according to claim 171, wherein the weight-average mass (Mw) is less than or equal to 70 000.

175. (Currently Amended) [[ A]] The cosmetic composition according to claim 174, wherein the weight-average mass (Mw) ranges from 10 000 to 60 000.

176. (Currently Amended) [[ A]] The cosmetic composition according to claim 175, wherein the weight-average mass (Mw) ranges from 12 000 to 50 000

177. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein ~~[[said]]~~the composition comprises from 0.1% to 60% by weight of polymer active substance.

178. (Currently Amended) [[ A]] The cosmetic composition according to claim 177, wherein ~~[[said]]~~the composition comprises from 10% to 40% by weight of polymer active substance.

179. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the at least one film former is a film-forming polymer which is soluble in ~~[[said]]~~the organic liquid medium.

180. (Currently Amended) [[ A]] The cosmetic composition according to claim 179, wherein the at least one film former is a fat-soluble film-forming polymer.

181. (Currently Amended) [[ A]] The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from the fat-soluble, amorphous homopolymers and copolymers of olefins, of cycloolefins, of butadiene, of isoprene, of styrene, of vinyl ethers, esters or of amides, and of (meth)acrylic acid esters and amides comprising a linear, branched or cyclic C<sub>4-50</sub> alkyl group.

182. (Currently Amended) [[ A]] The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from homopolymers and copolymers ~~comprising~~ ~~obtained from~~ monomers chosen from isooctyl (meth)acrylate, isononyl (meth)acrylate, 2-ethylhexyl (meth)acrylate, lauryl (meth)acrylate, isopentyl (meth)acrylate, n-butyl (meth)acrylate, isobutyl (meth)acrylate, methyl (meth)acrylate, tert-butyl (meth)acrylate, tridecyl (meth)acrylate, stearyl (meth)acrylate, and mixtures thereof.

183. (Currently Amended) [[ A]] The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from amorphous and fat-soluble polycondensates.

184. (Currently Amended) [[ A]] The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from amorphous and fat-soluble polysaccharides comprising alkyl (ether or ester) side chains.

185. (Currently Amended) [[ A]] The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer bears fluoro groups.

186. (Currently Amended) [[ A]] The cosmetic composition according to Claim 185, wherein the fat-soluble film-forming polymer bearing fluoro groups is chosen from alkyl (meth)acrylate/perfluoroalkyl (meth)acrylate copolymers.

187. (Currently Amended) [[ A]] The cosmetic composition according to Claim 180, wherein the fat-soluble film-forming polymer is chosen from polymers ~~[[or]]~~and copolymers resulting from the polymerization or copolymerization of an ethylenic monomer comprising at least one ethylenic bond.

188. (Currently Amended) [[ A]] The cosmetic composition according to claim

187, wherein the polymer ~~[[or]]and~~ copolymer resulting from the polymerization or copolymerization of an ethylenic monomer ~~[[is]]are~~ chosen from polystyrene/copoly(ethylene/butylene)s.

189. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 180, wherein the fat-soluble film-forming polymer is chosen from polymers comprising a non-silicone organic skeleton grafted with monomers comprising a polysiloxane.

190. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 180, wherein the ~~at least one~~ fat-soluble film-forming polymer is chosen from silicone polymers grafted with non-silicone organic monomers.

191. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 108, wherein the at least one film former is a film-forming polymer which is dispersible in the organic liquid medium.

192. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to claim 191, wherein the organic liquid medium comprises at least one oil, in which the film former is dispersible, and wherein the film former is in the form of a non-aqueous dispersion of polymer particles.

193. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to Claim 109, wherein the at least one film former is a film-forming polymer which is dispersible in the aqueous phase.

194. (Currently Amended) ~~[[ A]]~~ The cosmetic composition according to Claim 193, wherein the ~~water-dispersible~~ film-forming polymer which is dispersible in the aqueous phase is chosen from polyurethanes, polyurethane-acrylics, polyurethane-polyvinylpyrrolidones, polyester-polyurethanes, polyether-polyurethanes,

polyureas, polyurea/polyurethanes, and mixtures thereof.

195. (Currently Amended) [ [ A] ] The cosmetic composition according to Claim 193, wherein the ~~water-dispersible~~ film-forming polymer which is dispersible in the aqueous phase is an aliphatic, cycloaliphatic or aromatic polyurethane copolymer, or a polyurea/polyurethane or polyurea copolymer comprising, ~~alone or as a mixture~~:

- at least one block of linear or branched aliphatic and cycloaliphatic and/or aromatic polyester origin, and/or

- at least one block of aliphatic and/or cycloaliphatic and/or aromatic polyether origin, and/or

- at least one substituted or unsubstituted, branched or unbranched silicone block and/or

- at least one block comprising fluoro groups.

196. (Currently Amended) [ [ A] ] The cosmetic composition according to claim 193, wherein the film-forming polymer which is dispersible in the aqueous phase is chosen from polyesters, polyesteramides, fatty-chain polyesters, polyamides and epoxy ester resins.

197. (Currently Amended) [ [ A] ] The cosmetic composition according to Claim 193, wherein the film-forming polymer which is dispersible in the aqueous phase is chosen from acrylic polymers, acrylic copolymers and vinyl polymers.

198. (Currently Amended) [ [ A] ] The cosmetic composition according to Claim 108, wherein the at least one film former is present in an amount ranging from 2% to 60% by weight of dry compound relative to the total weight of the composition.

199. (Currently Amended) [ [ A] ] The cosmetic composition according to Claim

108, wherein the at least one film former is present in an amount ranging from 2% to 30% by weight of dry compound relative to the total weight of the composition.

200. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, further comprising at least one colorant chosen from water-soluble dyes and pulverulent colorants .

201. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein [[said]]the composition is in a form chosen from a suspension, dispersion, solution, gel, emulsion cream, paste, mousse, a vesicle dispersion, a two-phase lotion, a multi-phase lotion, a spray, powder, paste, a stick and a cast solid.

202. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the composition is in anhydrous form.

203. (Currently Amended) [[ A]] The cosmetic composition according to claim 108, wherein the composition is in a form chosen from a composition for making up or caring for keratin materials, a lip makeup product, an eye makeup product, a complexion makeup product, a nail makeup product.

204. (Currently Amended) A composition for coating keratin fibers, comprising an organic liquid medium, at least one aqueous phase, at least one film-forming ethylenic linear block polymer and at least one other film former soluble or dispersible in the [[said]]the aqueous phase,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block of different glass transition temperatures (Tg),

wherein the at least one first and at least one second blocks are linked together via

an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block,

wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, the intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a Tg of greater than or equal to 40 °C,

b) a block with a Tg of less than or equal to 20 °C,

c) a block with a Tg of between 20 and 40 °C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block.

205. (Currently Amended) [[ A]] The composition according to claim 204, wherein the at least one film former is a film-forming polymer dispersible in the aqueous phase.

206. (Currently Amended) [[ A]] The composition according to Claim 205, wherein the ~~water-dispersible~~ film-forming polymer dispersible in the aqueous phase is chosen from polyurethanes, polyurethane-acrylics, polyurethane-polyvinylpyrrolidones, polyester-polyurethanes, polyether-polyurethanes, polyureas, polyurea/polyurethanes, and mixtures thereof.

207. (Currently Amended) [[ A]] The composition according to claim 204, further comprising at least one wax.

208. (Currently Amended) [[ A]] The composition according to claim 204, further comprising at least one surfactant.

209. (Currently Amended) [[ A]] The composition according to claim 204, further

comprising at least one second film former chosen from water-soluble polymers.

210. (Currently Amended) ~~[[ A]] The~~ composition according to claim 209, wherein the water-soluble polymers are chosen from cationic cellulose derivatives and/or optionally modified polymers of natural origin .

211. (Currently Amended) ~~[[ A]] The~~ composition according to claim 204, further comprising a colorant.

212. (Currently Amended) ~~[[ A]] The~~ composition according to claim 204, wherein the composition is in the form of a mascara.

213. (Currently Amended) A cosmetic kit comprising:

a) a container delimiting at least one compartment, the container being closed by a closing element; and

b) a composition disposed inside the compartment, ~~[[said]]the~~ composition comprising an organic liquid medium, at least one film-forming ethylenic linear block polymer free from styrene units, and at least one other film former which is soluble or dispersible in ~~[[said]]the~~ organic liquid medium,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block of different glass transition temperatures (Tg),

wherein the at least one first and at least one second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block,

wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, the



intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

a) a block with a Tg of greater than or equal to 40 °C,

b) a block with a Tg of less than or equal to 20 °C,

c) a block with a Tg of between 20 and 40 °C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block.

214. (Currently Amended) [[ A]] The cosmetic kit according to Claim 213, wherein the container is formed, at least partly, of at least one thermoplastic material.

215. (Currently Amended) [[ A]] The cosmetic kit according to Claim 213, wherein the container is formed, at least partly, of at least one non-thermoplastic material.

216. (Currently Amended) [[ A]] The cosmetic kit according to claim 213, wherein in the closed position of the container, the closing element is screwed onto the container.

217. (Currently Amended) [[ A]] The cosmetic kit according to claim 213, wherein in the closed position of the container, the closing element is coupled to the container other than by screwing.

218. (Currently Amended) [[ A]] The cosmetic kit according to claim 213, wherein the composition is substantially at atmospheric pressure inside the compartment.

219. (Currently Amended) [[ A]] The cosmetic kit according to claim 213, wherein the composition is pressurized inside the container.

220. (Currently Amended) A method of making up or caring for keratin materials, comprising the application to the keratin materials of a cosmetic composition comprising an organic liquid medium, at least one film-forming ethylenic linear block polymer free

from styrene units, and at least one other film former which is soluble or dispersible in  
[[said]]the organic liquid medium,

wherein the at least one film-forming ethylenic linear block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one first block and at least one second block of different glass transition temperatures (Tg),

wherein the at least one first and at least one second blocks are linked together via an intermediate segment comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block,

wherein the at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, the intermediate segment is a random copolymer block, and the at least one first block of the polymer is chosen from:

- a) a block with a Tg of greater than or equal to 40°C,
- b) a block with a Tg of less than or equal to 20°C,
- c) a block with a Tg of between 20 and 40°C, and

the at least one second block is chosen from a category a), b) or c) different from the at least one first block.